

DMSB-Zulassungsliste Reifen Nürburgring Nordschleife für die Fahrzeuge gemäß SRO-GT4

Stand: 19.03.2024

Ausschließlich nachfolgende Reifen sind für alle Fahrzeugklassen zur Verwendung im Rahmen der VLN/NLS, NES und dem 24h-Rennen inkl. 24h-Qualifier auf der Nürburgring Nordschleife gem. DMSB Rundstreckenreglement Anhang 2 Art. 2 a) Abs. 6. für die Klasse SP10 (SRO-GT4) & NES GT4 erlaubt.

Über nachstehende Zulassungsliste hinaus sind straßenzugelassene Reifen mit ECE-Zulassung, welche eine "E"-Kennzeichnung aufweisen zugelassen.

Hersteller:	Goodyear Germany GmbH Dunlopstr.2, 63450 Hanau		
Ansprechpartner:	Alexander Kühn		
Tel.Nr.:	+49 (170) 784 08 66		
E-Mail:	alex.kuehn@goodyear.com		
Hersteller	Modellbezeichnung	Dimension	Spezifikation
Dunlop	TC 01 A2	245/650R18	Slick
Dunlop	G76D CM004	245/650R18	Slick
Dunlop	TC 01 C1	245/650R18	Slick
Dunlop	G76D CM720	245/650R18	Slick
Dunlop	B92W BC497	245/650R18	Regen
Dunlop	G76D CM004	265/660R18	Slick
Dunlop	G76D CM008	265/660R18	Slick
Dunlop	G76D CM720	265/660R18	Slick
Dunlop	J27D CM863	265/660R18	Slick
Dunlop	J27D CM004	265/660R18	Slick
Dunlop	J27D CM720	265/660R18	Slick
Dunlop	G76W BC497	265/660R18	Regen
Dunlop	TC 02 W2	265/660R18	Regen
Dunlop	TC 01 W2	265/660R18	Regen
Dunlop	G76D CM720	285/660R18	Slick
Dunlop	G76D CM004	285/660R18	Slick
Dunlop	G76D CM008	285/660R18	Slick
Dunlop	GT 01B2	285/660R18	Slick
Dunlop	G76W BC497	285/660R18	Regen
Dunlop	GT 01 B2	285/680R18	Slick
Dunlop	GT 01 C1	285/680R18	Slick
Dunlop	GT 01 C2	285/680R18	Slick
Dunlop	GT 01 W2	285/680R18	Slick
Dunlop	GT 02 B2	305/680R18	Slick
Dunlop	H96D CM004	305/680R18	Slick
Dunlop	H96D CM008	305/680R18	Slick
Dunlop	GT 01 C2	305/680R18	Slick
Dunlop	J14W BC497	305/680R18	Regen
Goodyear	TC 02 A3	245/650R18	Slick
Goodyear	TC 02 B3	245/650R18	Slick
Goodyear	TC 02 C2	245/650R18	Slick
Goodyear	TC 02 C3	245/650R18	Slick

Goodyear	TC 01 W3	245/650R18	Regen
Goodyear	TC 01 W2	245/650R18	Regen
Goodyear	TC 02 W3	245/650R18	Regen
Goodyear	TC 02 W2	245/650R18	Regen
Goodyear	TC 02 B3	265/660R18	Slick
Goodyear	TC 02 C2	265/660R18	Slick
Goodyear	TC 02 C3	265/660R18	Slick
Goodyear	TC 01 A2	265/660R18	Slick
Goodyear	TC 01 B3	265/660R18	Slick
Goodyear	TC 01 C3	265/660R18	Slick
Goodyear	TC 02 W2	265/660R18	Regen
Goodyear	TC 02 W3	265/660R18	Regen
Goodyear	GT 01 C3	285/660R18	Slick
Goodyear	GT 01 C1	285/660R18	Slick
Goodyear	GT 01 C2	285/660R18	Slick
Goodyear	GT 01 B2	285/660R18	Slick
Goodyear	GT 01 W3	285/660R18	Regen
Goodyear	GT 01 W2	285/660R18	Regen
Goodyear	GT 02 W2	285/660R18	Regen
Goodyear	GT 02 W3	285/660R18	Regen
Goodyear	GT 01 B2	285/680R18	Slick
Goodyear	GT 01 C1	285/680R18	Slick
Goodyear	GT 01 C2	285/680R18	Slick
Goodyear	GT 01 W2	285/680R18	Regen
Goodyear	GT 01 W3	285/680R18	Regen
Goodyear	GT 02 W2	285/680R18	Regen
Goodyear	GT 02 W3	285/680R18	Regen
Goodyear	GT 01 B2	305/680R18	Slick
Goodyear	GT 01 C1	305/680R18	Slick
Goodyear	GT 01 C2	305/680R18	Slick
Goodyear	GT04A2	300/680R18	Slick
Goodyear	GT04B2	300/680R18	Slick
Goodyear	GT 01 W3	305/680R18	Regen

Hersteller: Falken Tyre Europe GmbH
Berliner Str. 74-76, 63128 Offenbach am Main

Ansprechpartner: Stefanie Olbertz

Tel.Nr.: +49 1726308673

E-Mail: Stefanie.Olbertz@falkentyre.com

FALKEN	CR0950	240/660R18	Regen
FALKEN	R92	260/655R18	Regen
FALKEN	SLICK S	260/660R18	Slick
FALKEN	SLICK M	260/660R18	Slick
FALKEN	SLICK S	270/660R18	Slick
FALKEN	SLICK M	270/660R18	Slick
FALKEN	FK-R01W	270/655R18	Regen
FALKEN	SLICK VS	280/680R18	Slick
FALKEN	SLICK S	280/680R18	Slick
FALKEN	SLICK M	280/680R18	Slick

FALKEN	R92 S	280/680R18	Regen
FALKEN	R92 M	280/680R18	Regen
FALKEN	SLICK S	300/660R18	Slick
FALKEN	SLICK H	300/660R18	Slick
FALKEN	CR9050H	300/660R18	Regen
FALKEN	CR9150	300/660R18	Regen
FALKEN	SLICK S	310/710R18	Slick
FALKEN	SLICK H	310/710R18	Slick
FALKEN	FK-R01W	310/710R18	Regen
FALKEN	CR9050H	320/710R18	Regen
FALKEN	CR9150	330/710R18	Regen
FALKEN	SLK D20	300/680R18	Regen
FALKEN	R92 W08	290/675R18	Regen

Hersteller:	FEDERAL Corporation No. 369, Sec. 2, Chung Hwa Rd, Chungli, Taoyuan, Taiwan 32068		
Ansprechpartner:	Taz Yeh		
Tel.Nr.:	+886-3-4522156		
E-Mail:	tazyeh@federaltire.com.tw		
Hersteller	Modellbezeichnung	Dimension	Spezifikation
FEDERAL TIRE	FZ-101	210/575-15	SOFT
FEDERAL TIRE	FZ-101	240/610-17	SOFT
FEDERAL TIRE	FZ-101	270/650-18	SOFT
FEDERAL TIRE	FZ-101W	210/575-15	WET
FEDERAL TIRE	FZ-101W	240/610-17	WET
FEDERAL TIRE	FZ-101W	270/650-18	WET

Hersteller: C&R Motorsport OHG/Hankook
 Römerstrasse 56, 53940 Hellenthal-Reifferscheid

Ansprechpartner: Herr Stoll

Tel.Nr.: 02482/1251883

E-Mail: mobil@crmotorsport.de

Hersteller	Modellbezeichnung	Dimension	Spezifikation
HANKOOK	F200	240/640R18	C52
HANKOOK	F200	260/660R18	C52
HANKOOK	F200	280/660R18	C52
HANKOOK	F200	280/680R18	C52
HANKOOK	F200	300/660R18	C52
HANKOOK	F200	300/680R18	C52
HANKOOK	Z207	240/640R18	W52
HANKOOK	Z207	260/660R18	W52
HANKOOK	Z207	280/660R18	W52
HANKOOK	Z207	280/680R18	W52
HANKOOK	Z207	300/660R18	W52
HANKOOK	Z207	300/680R18	W52

Hersteller: Michelin Reifenwerke AG & Co. KGaA
 Michelinstrasse 4, D-76185 Karlsruhe

Ansprechpartner: Martin Maffert

Tel.Nr.: 0172 7462003

E-Mail: martin.maffert@michelin.com

Hersteller	Modellbezeichnung	Dimension	Spezifikation
Michelin	Pilot Sport GT	24/64-18	S9M / P2L
Michelin	Pilot Sport GT	25/64-18	S8M / S9M
Michelin	Pilot Sport GT	25/64-18	S8L / S9L
Michelin	Porsche Cup	25/64-18	N2
Michelin	Pilot Sport GT	25/64-18	P2L
Michelin	Pilot Sport GT	27/65-18	S8M / S9M / S9M+
Michelin	Pilot Sport GT	27/65-18	S8L / S9L
Michelin	Pilot Sport GT	27/65-18	P2L
Michelin	Porsche Cup	27/65-18	N2#
Michelin	Pilot Sport GT	27/68-18	P2L
Michelin	Porsche Cup	27/68-18	N2 / N2R
Michelin	Pilot Sport GT	30/65-18	S7M / S8M / S9M
Michelin	Pilot Sport GT	30/65-18	P2L
Michelin	Pilot Sport Cup	30/65-18	N3
Michelin	Pilot Sport GT	30/68-18	S7M / S8M / S9M
Michelin	Pilot Sport GT	30/68-18	P2L
Michelin	Porsche Cup	30/68-18	N2
Michelin	Pilot Sport GT	33/68-18	S8M / S9M
Michelin	Pilot Sport GT	31/71-18	S7M / S8M / S9M
Michelin	Pilot Sport GT	31/71-18	P2L
Michelin	Porsche Cup	31/71-18	N2
Michelin	Pilot Sport Cup	31/71-18	N3R

Hersteller: Nankang Tire Netherlands Motorsport Department
 Parkstraat 83 2514JG Den Haag The Netherlands

Ansprechpartner: Shane Yang

Tel.Nr.: +31639715099

E-Mail: info@nankang.eu

Hersteller	Modellbezeichnung	Dimension	Spezifikation
NANKANG	SL-1	240/610R17	Medium
NANKANG	SL-1	210/610R17	Medium
NANKANG	SL-1	240/640R18	Medium & Hard
NANKANG	SL-1	240/650R18	Medium & Hard
NANKANG	SL-1	260/660R18	Medium & Hard
NANKANG	SL-1	280/660R18	Medium & Hard
NANKANG	SL-1	300/660R18	Medium & Hard
NANKANG	RT-1	240/610R17	Rain
NANKANG	RT-1	240/640R18	Rain
NANKANG	RT-1	240/650R18	Rain
NANKANG	RT-1	260/660R18	Rain
NANKANG	RT-1	280/660R18	Rain
NANKANG	RT-1	300/660R18	Rain

Hersteller: Pirelli Deutschland GmbH
 H"ochster Stra"e 48 - 60, 64747 Breuberg

Ansprechpartner: Michael Blaufuss

Tel.Nr.: +49 (6163) 712 462

E-Mail: michael.blaufuss@pirelli.com

Hersteller	Modellbezeichnung	Dimension	Spezifikation
Pirelli	Pzero	245/645-18	DHF
Pirelli	Pzero	245/645-18	DHB
Pirelli	Pzero	245/645-18	DMB
Pirelli	Pzero	245/645-18	DSB
Pirelli	Pzero	245/645-18	WH
Pirelli	Pzero	265/645-18	DHF
Pirelli	Pzero	265/645-18	DHB
Pirelli	Pzero	265/645-18	DMB
Pirelli	Pzero	265/645-18	DSB
Pirelli	Pzero	265/645-18	WH
Pirelli	Pzero	265/660-18	DHF
Pirelli	Pzero	265/660-18	DHB
Pirelli	Pzero	265/660-18	DMB
Pirelli	Pzero	265/660-18	DSB
Pirelli	Pzero	265/660-18	WH
Pirelli	Pzero	305/645-18	DHF
Pirelli	Pzero	305/645-18	DHB
Pirelli	Pzero	305/645-18	DMB
Pirelli	Pzero	305/645-18	DSB
Pirelli	Pzero	305/645-18	WH
Pirelli	Pzero	305/660-18	DHF
Pirelli	Pzero	305/660-18	DHB
Pirelli	Pzero	305/660-18	DMB

Pirelli	Pzero	305/660-18	DSB
Pirelli	Pzero	305/660-18	WH
Pirelli	Pzero	305/680-18	DHF
Pirelli	Pzero	305/680-18	DHB
Pirelli	Pzero	305/680-18	DMB
Pirelli	Pzero	305/680-18	DSB
Pirelli	Pzero	305/680-18	WH
Pirelli	Pzero	315/680-18	DHF
Pirelli	Pzero	315/680-18	DHB
Pirelli	Pzero	315/680-18	DMB
Pirelli	Pzero	315/680-18	DSB
Pirelli	Pzero	315/680-18	WH

Hersteller: Toyo Tire Cooperation
2-2-13, Fujinoki, Itami, Hyogo 664-0847, JAPAN

Ansprechpartner: Yu Tomitaka / Assistant Manager, O.E. Tire Development Dept.

Tel.Nr.: 0081-727-75-9001

E-Mail: yu-tomit@toyotires.co.jp

Hersteller	Modellbezeichnung	Dimension	Spezifikation
TOYO	PROXES (DRY)	305/680R18	DRY-H
TOYO	PROXES (DRY)	305/680R18	DRY-MH
TOYO	PROXES (DRY)	305/680R18	DRY-M
TOYO	PROXES (DRY)	305/680R18	DRY-S
TOYO	PROXES (WET)	305/680R18	WET
TOYO	PROXES (WET)	305/680R18	H-WET

Hersteller: Yokohama Europe GmbH
Monschauerstr. 12, D40459 Düsseldorf

Ansprechpartner: Beppo Bürger

Tel.Nr.: +49 171 6785014

E-Mail: b.buerger@yokohama-online.com

Hersteller	Modellbezeichnung	Dimension	Spezifikation
YOKOHAMA legend:	A=Slick		40=SF, 60=MD, 80=HD
	W= Wet		40=SF, 60=MD, 80=HD
	A005= Slick		SS, SF, MD, HD
	A006= Wet		SS, SF, MD, HD
YOKOHAMA GT Slick	N2372 Suitable for GT4	250/650R18	A005 A80
YOKOHAMA TOURING Slick	N2401 Suitable for GT4	250/660R18	A005 MD
YOKOHAMA GT Slick	N2472 Suitable for GT4	250/650R18	A005 A40
YOKOHAMA GT Slick	N2596 Suitable for GT4	250/650R18	A005 A60
YOKOHAMA GT Slick	N2782 Suitable Porsche & GT4	280/650R18	A005 A60
YOKOHAMA GT Slick	N2844 Suitable for Lamborghini & GT4	300/650R18	A005 A40
YOKOHAMA GT Slick	N2845 Suitable for Lamborghini & GT4	300/650R18	A005 A60
YOKOHAMA GT Slick	N2846 Suitable for Lamborghini & GT4	300/650R18	A005 A80
YOKOHAMA GT Slick	N2855 Suitable for GT4	300/680R18	A005 A40
YOKOHAMA GT Slick	N2856 Suitable for GT4	300/680R18	A005 A60
YOKOHAMA GT Slick	N2888 Suitable for Lamborghini & GT4	330/710R18	A005 A40
YOKOHAMA GT Slick	N2889 Suitable for Lamborghini & GT4	330/710R18	A005 A60
YOKOHAMA GT Slick	N2890 Suitable for Lamborghini & GT4	330/710R18	A005 A80
YOKOHAMA TOURING Slick	N2913 Suitable for GT4	250/660R18	A005 SF
YOKOHAMA TOURING Slick	N2915 Suitable for GT4	250/660R18	A005 HD

YOKOHAMA TOURING S	N2916 Suitable for GT4	280/650R18	A005 SF
YOKOHAMA GT Slick	N3063 Suitable for GT4	280/650R18	A005 A80
YOKOHAMA GT Slick	N3066 Suitable for GT4	280/650R18	A005 A60
YOKOHAMA GT Slick	N3113 Suitable for GT4	280/680R18	A005 A60
YOKOHAMA GT Slick	N3141 Suitable for GT4	280/650R18	A005 A40